

View Online at <https://aerobasegroup.com/nsn/5985-01-200-6674>

Body Style:

Rectangular

Overall Length:

Between 1.910 inches and 2.262 inches

Overall Height:

0.500 inches

Overall Width:

1.344 inches

Frequency Rating:

18.0 gigahertz 2nd frequency voltage standing wave ratio and 21.0 gigahertz 2nd frequency voltage standing wave ratio

Switch Type:

Nontransfer

Operating Temperature Range:

-15.0/+70.0 degrees celsius

Voltage Standing Wave Ratio:

1.50 2nd

Insertion Loss In Decibels:

0.50 2nd

Coaxial Connector Series Designation:

Sma

Connector End Design:

Female

Minimum Crosstalk Rating In Decibels:

60.0 single

Actuator Operating Method:

Solid state

Actuator Current Type And Rating In Amps:

0.18 dc

Actuator Voltage In Volts:

12.0

Switch Operation Sequence:

Breaks before makes

Switching Time:

50.0 milliseconds

Switch Return Mechanism Type:

Latching

Pole Quantity:

1

Throw Quantity:

2

Coupling Position Quantity:

3

Special Features:

Two alternate mounting holes diameter 0.120 in. Each center to center 0.440 in.

Material:

Copper alloy contact (s)

Precious Material:

Gold

Surface Treatment:

Nickel body outside surfaces

Terminal Type And Quantity:

2 tab, solder lug and 3 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A158a0