NSN 5985-01-210-1184

Radio Frequency Transmission Line Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-210-1184 **Body Style:** Rectangular **Overall Length:** 2.000 inches **Overall Height:** 3.310 inches **Overall Width:** 2.580 inches Frequency Rating: 0.0 megahertz single frequency operating and 50.0 megahertz single frequency operating Switch Type: Nontransfer **Longest Horizontal Distance Between Mounting Centers:** 1.406 inches single mounting facility pattern **Longest Vertical Distance Between Mounting Centers:** 0.810 inches single mounting facility pattern **Operating Tempurature Range:** +0.0/+70.0 degrees celsius **End Application:** Integrated automatic detection and tracking system, an/sys- (v) 1 **Voltage Standing Wave Ratio:** 1.10 single **Insertion Loss In Decibels:** 0.20 single **Connector End Design:** Female Minimum Crosstalk Rating In Decibels: 40.0 single **Actuator Current Type And Rating In Amps:** 0.11 ac **Actuator Voltage In Volts: Switch Operation Sequence:** Breaks before makes **Switching Time:** 100.0 milliseconds **Pole Quantity:** 2 **Throw Quantity:**

2

Rf Maximum Voltage Rating:

100.0 volts peak

NSN 5985-01-210-1184

Radio Frequency Transmission Line Switch - Page 2 of 2



Coupling Position Quantity: 3 Mounting Facility Type And Quantity: 1 base and 4 threaded hole Mounting Facility Pattern: Four position rectangular single mounting facility pattern Special Features: Single phase; actuator operating method: solenoid Terminal Type And Quantity: 2 tab, solder lug and 3 receptacle, coaxial Shelf Life: N/a Unit Of Measure: - Demilitarization: No

Fiig: A158a0