NSN 5985-01-212-8704

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-212-8704

Cross Sectional Shape:

Internal, rectangular double ridged external, rectangular

Thread Class:

2b second flange all connection facilities

Thread Direction:

Right-hand second flange all connection facilities

End Application:

B-52 alq-117 pave mint

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.720 inches second flange

Flange Inside Height:

0.321 inches second flange

Flange Outside Width:

1.375 inches second flange

Flange Outside Height:

1.375 inches second flange

Flange Depth:

0.250 inches second flange

Voltage Standing Wave Ratio:

1.20

Insertion Loss In Decibels:

0.10

Thready Qty Per Inch (tpi):

32 first flange all connection facilities

Waveguide Outside Width:

0.730 inches

Thread Size:

0.138 inches second flange all connection facilities

Waveguide Inside Width:

0.720 inches

Waveguide Inside Height:

0.321 inches

Waveguide Outside Height:

0.421 inches

Waveguide Longer Offset Distance:

4.770 inches

Flange Connecting Facility And Quantity:

4 threaded hole first flange all connection facilities

NSN 5985-01-212-8704 Waveguide Assembly - Page 2 of 2



Flange Style:
Contact, double ridge type second flange
Waveguide Offset Distance:
1.700 inches
Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy all tubing segment and flange
Surface Treatment:
Chromate all tubing segment and flange outside surfaces
Style Designator:
Bend type
Thread Series Designator:
Unc second flange all connection facilities
Fsc Application Data:
Antenna, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0