NSN 5985-01-214-0884

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-214-0884

Application Design: Transmission line **Body Material:** Steel, corrosion resisting **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Passivated **Overall Length:** 1.630 inches **Overall Diameter:** 0.385 inches **Operating Tempurature Range:** +13.0/+35.0 degrees celsius **Voltage Standing Wave Ratio:** 1.10 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 100.0 milliwatts average **Rf Signal Attenuation In Decibels:** 12.0 Voltage Standing Wave Ratio Frequency Range: +420.0/+450.0 megahertz **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector **Frequency Range:** Between 420.000 megahertz and 450.000 megahertz **Fsc Application Data:** Antennas, waveguides, and related equipment Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** Yes - demil/mli

NSN 5985-01-214-0884

Fixed Attenuator - Page 2 of 2

Fiig: A20000

