NSN 5985-01-215-0810

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-215-0810

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.003 inches and 1.006 inches all flanges

Flange Inside Height:

0.503 inches and 0.506 inches all flanges

Flange Outside Width:

1.610 inches and 1.640 inches all flanges

Flange Outside Height:

1.610 inches and 1.640 inches all flanges

Flange Depth:

0.423 inches and 0.453 inches all flanges

Flange Connecting Hole Diameter:

0.169 inches and 0.172 inches all flanges all connection facilities

Maximum Operating Pressure:

30.0 pounds per square inch gage

Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Length:

4.000 inches

Special Features:

Includes bulkhead mtg flange

Flexibility:

Rigid single tubing segment

Material:

Copper alloy all tubing segment and flange

Surface Treatment:

Enamel all tubing segment and flange outside surfaces

NSN 5985-01-215-0810

Waveguide Assembly - Page 2 of 2



Style Designator:
Straight type
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A073a0