NSN 5985-01-215-1574

View Online at https://aerobasegroup.com/nsn/5985-01-215-1574

Fixed Attenuator - Page 1 of 2 **Application Design:** Transmission line **Body Material:** Steel, stainless **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Passivated **Overall Length:** 1.210 inches **Overall Diameter:** 0.375 inches **Operating Tempurature Range:** -54.0 to 125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.15 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 2.0 watts average **Rf Signal Attenuation In Decibels:** 8.0 Voltage Standing Wave Ratio Frequency Range: +0.0 to 4.0 gigahertz **Attenuation Accuracy In Decibels:** -0.30 to 0.30 **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector **Frequency Range:** Between 0.000 hertz and 4.000 gigahertz Shelf Life: N/a Unit Of Measure: ---**Demilitarization:**

Yes - demil/mli

NSN 5985-01-215-1574

Fixed Attenuator - Page 2 of 2

Fiig: A20000

