

View Online at <https://aerobasegroup.com/nsn/5985-01-216-8561>

Application Design:

Transmission line

Body Material:

Steel, stainless

Body Style:

1b round, terminal/terminals in opposite surface

Body Surface Treatment:

Passivated

Overall Length:

0.750 inches

Overall Diameter:

0.312 inches

Operating Temperature Range:

-55.0 to 125.0 degrees celsius

Voltage Standing Wave Ratio:

1.15 and 1.25 and 1.50 and 1.80 and 2.00

Input Impedance Rating In Ohms:

50.0

Output Impedance Rating In Ohms:

50.0

Coaxial Connector Series Designation:

Sma

Power Rating:

2.0 watts average

Rf Signal Attenuation In Decibels:

20.0

Voltage Standing Wave Ratio Frequency Range:

+0.0 to 4.0 gigahertz and +4.1 to 8.0 gigahertz and +8.1 to 12.0 gigahertz and +12.1 to 15.0 gigahertz and +15.1 to 18.0 gigahertz

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 0.000 hertz and 18.000 gigahertz

Special Features:

Fungus test per mil-std-810 method 508; salt atmosphere mil-std-202 method 101 cond a

Precious Material And Location:

Pin surface gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A20000