## NSN 5985-01-217-1729

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-217-1729

## Application Design:

Transmission line

**Body Material:** 

Steel, stainless

## Body Style:

Err-090

## Body Surface Treatment:

Passivated

#### **Overall Length:**

1.020 inches

### **Overall Diameter:**

0.280 inches

#### **Operating Tempurature Range:**

-65.0/+125.0 degrees celsius

## Voltage Standing Wave Ratio:

1.07

## Input Impedance Rating In Ohms:

. 50.0

## **Output Impedance Rating In Ohms:**

50.0

## **Coaxial Connector Series Designation:**

Sma

#### **Power Rating:**

2.0 watts average

## **Rf Signal Attenuation In Decibels:**

20.0

## Voltage Standing Wave Ratio Frequency Range:

+0.0/+18.0 gigahertz

## Attenuation Accuracy In Decibels:

-0.50/+0.50

#### Mounting Method:

Connector

#### **Terminal Type And Quantity:**

2 connector

#### Frequency Range:

Between 0.000 hertz and 18.000 gigahertz

## **Specification Data:**

49956-1040523 manufacturers specification control

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 5985-01-217-1729

Fixed Attenuator - Page 2 of 2

Demilitarization:

No

Fiig:

A20000

