NSN 5985-01-221-2232

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-221-2232

Cross Sectional Shape: Internal, rectangular external, rectangular **Thread Class:** 2b first flange all connection facilities Thread Direction: Right-hand first flange all connection facilities **Bend Angle In Deg:** 90.0 single bend e-plane **Tubing Wall Construction Style:** Seamless single tubing segment Flange Quantity: 2 Flange Inside Width: 1.005 inches second flange Flange Inside Height: 0.505 inches second flange Flange Outside Width: 1.625 inches second flange Flange Outside Height: 1.625 inches first flange Flange Inside Diameter: 1.422 inches first flange Flange Depth: 0.438 inches second flange Flange Connecting Hole Diameter: 0.169 inches second flange all connection facilities **Voltage Standing Wave Ratio:** 1.07 Waveguide Outside Width: 1.000 inches **Thread Size:** 0.164 inches first flange all connection facilities Waveguide Inside Width: 0.900 inches Waveguide Inside Height: 0.400 inches Waveguide Outside Height: 0.500 inches Waveguide Longer Offset Distance: 1.188 inches Flange Connecting Facility And Quantity: 4 unthreaded hole second flange all connection facilities

NSN 5985-01-221-2232

Waveguide Assembly - Page 2 of 2



Flange Style: Cover type second flange Waveguide Offset Distance: 1.188 inches Flexibility:

Rigid single tubing segment

Material:

Copper alloy single tubing segment and flange

Precious Material And Location:

Int and ext surfaces rhodium and int and ext surfaces silver

Precious Material:

Rhodium and silver

Surface Treatment:

Paint second tubing segment and flange outside surfaces

Style Designator:

Bend type

Thread Series Designator:

Unc first flange all connection facilities

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0