

View Online at <https://aerobasegroup.com/nsn/5985-01-222-0020>

**Application Design:**

Transmission line

**Body Material:**

Beryllium copper

**Body Style:**

Rectangular terminal/terminals on three surfaces

**Body Surface Treatment:**

Gold plated, mil-g-45204

**Overall Length:**

0.750 inches

**Overall Height:**

0.150 inches

**Overall Width:**

0.515 inches

**Operating Temperature Range:**

-55.0 to 150.0 degrees celsius

**End Application:**

5895-00-222-4224 communications set

**Voltage Standing Wave Ratio:**

1.15 and 1.35 and 1.50

**Input Impedance Rating In Ohms:**

50.0

**Output Impedance Rating In Ohms:**

50.0

**Power Rating:**

20.0 watts average

**Rf Signal Attenuation In Decibels:**

2.0

**Voltage Standing Wave Ratio Frequency Range:**

+0.0 to 1.0 gigahertz and +1.0 to 2.5 gigahertz and +2.5 to 4.0 gigahertz

**Attenuation Accuracy In Decibels:**

-0.50 to 0.50

**Mounting Method:**

Terminal

**Terminal Type And Quantity:**

2 ribbon and 1 surface contact

**Frequency Range:**

Between 0.000 hertz and 4.000 gigahertz

**Precious Material And Location:**

Terminals gold

**Precious Material:**

Gold

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A20000