

View Online at <https://aerobasegroup.com/nsn/5985-01-223-5245>

Application Design:

Transmission line

Body Style:

1b round, terminal/terminals in opposite surface

Overall Length:

Between 0.830 inches and 0.890 inches

Overall Diameter:

0.280 inches

Operating Temperature Range:

-40.0/+71.0 degrees celsius

Voltage Standing Wave Ratio:

1.35

Input Impedance Rating In Ohms:

50.0

Output Impedance Rating In Ohms:

50.0

Coaxial Connector Series Designation:

Sma

Rf Signal Attenuation In Decibels:

1.0

Voltage Standing Wave Ratio Frequency Range:

+13.5/+17.0 gigahertz

Attenuation Accuracy In Decibels:

-0.30/+0.30

Connection Type Per Function:

Female input and male output

Unpackaged Unit Weight:

0.187 ounces

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 13.500 gigahertz and 17.000 gigahertz

Special Features:

Oper alt 40000 ft

Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A20000