NSN 5985-01-225-5338

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-225-5338

Cross	Sectional	Shape:

Internal, rectangular double ridged external, rectangular

Thread Class:

2b all flanges all connection facilities

Thread Direction:

Right-hand all flanges all connection facilities

Bend Angle In Deg:

25.5 second bend h-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Voltage Standing Wave Ratio:

1.25

Insertion Loss In Decibels:

0.12

Maximum Operating Pressure:

15.0 pounds per square inch gage

Thread Size:

0.138 inches all flanges all connection facilities

Flange Connecting Facility And Quantity:

2 threaded hole all flanges all connection facilities

Flange Style:

Contact, double ridge type all flanges

Waveguide Length:

3.0625 inches

Flexibility:

Flexible single tubing segment

Precious Material And Location:

Internal surfaces silver

Precious Material:

Silver

Surface Treatment:

Silver single tubing segment inside surfaces

Style Designator:

Offset bend type

Thread Series Designator:

Unc all flanges all connection facilities

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5985-01-225-5338

Waveguide Assembly - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A073a0