## NSN 5985-01-225-5338

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-225-5338

Cross	Sectional	Shape:

Internal, rectangular double ridged external, rectangular

**Thread Class:** 

2b all flanges all connection facilities

**Thread Direction:** 

Right-hand all flanges all connection facilities

Bend Angle In Deg:

25.5 second bend h-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

**Voltage Standing Wave Ratio:** 

1.25

**Insertion Loss In Decibels:** 

0.12

**Maximum Operating Pressure:** 

15.0 pounds per square inch gage

**Thread Size:** 

0.138 inches all flanges all connection facilities

Flange Connecting Facility And Quantity:

2 threaded hole all flanges all connection facilities

Flange Style:

Contact, double ridge type all flanges

Waveguide Length:

3.0625 inches

Flexibility:

Flexible single tubing segment

**Precious Material And Location:** 

Internal surfaces silver

**Precious Material:** 

Silver

**Surface Treatment:** 

Silver single tubing segment inside surfaces

**Style Designator:** 

Offset bend type

**Thread Series Designator:** 

Unc all flanges all connection facilities

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5985-01-225-5338

Waveguide Assembly - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A073a0