## NSN 5985-01-226-0965

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-226-0965 **Application Design:** Transmission line **Body Material:** Steel, stainless **Body Style:** 1b round, terminal/terminals in opposite surface **Body Surface Treatment:** Passivated **Overall Length:** 1.930 inches **Overall Diameter:** 0.560 inches **Operating Tempurature Range:** -20.0 to 125.0 degrees celsius **End Application:** Surface ship, radar, passive an/sps-6 (v) 9 **Voltage Standing Wave Ratio:** 1.20 and 1.30 **Input Impedance Rating In Ohms:** 75.0 **Output Impedance Rating In Ohms:** 75.0 **Coaxial Connector Series Designation:** Bnc **Power Rating:** 750.0 watts peak **Rf Signal Attenuation In Decibels: Voltage Standing Wave Ratio Frequency Range:** +0.0 to 0.5 gigahertz and +0.5 to 1.2 gigahertz **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Between 0.000 hertz and 1.200 gigahertz

Frequency Range: Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No

## NSN 5985-01-226-0965

Fixed Attenuator - Page 2 of 2



Fiig:

A20000