## NSN 5985-01-231-3152

Waveguide Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-231-3152

## **Cross Sectional Shape:**

Internal, rectangular double ridged external, rectangular double indented

#### **Thread Class:**

2b single flange first connection facility

#### **Thread Direction:**

Right-hand single flange first connection facility

#### **End Application:**

Countermeasures set an/alq-155tps

#### **Tubing Wall Construction Style:**

Seamless single tubing segment

## Flange Quantity:

1

#### Flange Inside Width:

1.613 inches and 1.619 inches all flanges

#### Flange Inside Height:

0.821 inches and 0.827 inches all flanges

#### Flange Outside Width:

2.735 inches and 2.765 inches single flange

## Flange Outside Height:

1.085 inches and 2.015 inches single flange

## Flange Depth:

0.235 inches and 0.265 inches all flanges

#### Flange Connecting Hole Diameter:

0.145 inches and 0.148 inches single flange second connection facility

## **Voltage Standing Wave Ratio:**

1.25

## **Insertion Loss In Decibels:**

0.15

#### **Coaxial Connector Series Designation:**

Sma

## **Connector End Design:**

Female

#### Adapter Length:

1.450 inches

## **Adapter Height:**

Between 1.085 inches and 2.015 inches

## Thready Qty Per Inch (tpi):

32 single flange first connection facility

## **Waveguide Outside Width:**

Between 1.604 inches and 1.612 inches

#### **Thread Size:**

0.138 inches single flange first connection facility

# NSN 5985-01-231-3152

Waveguide Adapter - Page 2 of 2



Wavegu	ide	Insi	de	Width	1

Between 1.477 inches and 1.483 inches

**Waveguide Inside Height:** 

Between 0.685 inches and 0.691 inches

**Waveguide Outside Height:** 

Between 0.812 inches and 0.820 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole single flange second connection facility

Flange Style:

Contact, double ridge type single flange

Adapterheight:

Between 1.542 inches and 2.007 inches

Adapterwidth:

Between 2.735 inches and 2.765 inches

Material:

Aluminum alloy all tubing segment and flange

**Surface Treatment:** 

Any acceptable all tubing segment and flange outside surfaces

**Style Designator:** 

Waveguide to coaxial

**Thread Series Designator:** 

Unc single flange first connection facility

**Fsc Application Data:** 

Antennas, waveguides, and related equipment

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0