

View Online at <https://aerobasegroup.com/nsn/5985-01-232-2120>

**Application Design:**

Transmission line

**Body Material:**

Aluminum alloy

**Body Style:**

Coaxial type

**Overall Length:**

4.250 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

Between 1.240 inches and 1.260 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

Between 1.802 inches and 1.822 inches

**Overall Height:**

3.800 inches

**Overall Width:**

Between 0.960 inches and 1.030 inches

**Voltage Standing Wave Ratio:**

1.40

**Coaxial Connector Series Designation:**

N

**Power Rating:**

4.0 watts average

**Mounting Facility Screw Thread Series Designator:**

Unc

**Insertion Loss At Minimum Attenuation In Maximum Decibels:**

0.6

**Overall Attenuation Range In Decibels:**

+0.0/+10.0

**Attenuation Variation Method:**

Continuous

**Mounting Facility Type And Quantity:**

4 threaded hole

**Mounting Thread Quantity:**

32 per inch

**Adjustment Device Type And Quantity:**

1 slotted screw

**Mounting Facility Pattern:**

Four position rectangular

**Mounting Facility Screw Thread Diameter:**

0.138 inches

**Impedance Rating In Ohms:**

50.0 input-output

**Terminal Type And Quantity:**

2 connector, coaxial, female

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A223a0