

View Online at <https://aerobasegroup.com/nsn/5985-01-234-3326>

Application Design:

Transmission line

Body Style:

Irregular

Overall Length:

2.960 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.689 inches

Overall Height:

0.460 inches

Overall Width:

2.340 inches

Shaft Diameter:

0.500 inches

Shaft Length:

0.590 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

0.875 inches

End Application:

Training set, tactical electronic warfare an/msq-t13

Voltage Standing Wave Ratio:

1.50

Coaxial Connector Series Designation:

Sma

Power Rating:

0.5 watts average

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

2.1

Overall Attenuation Range In Decibels:

+0.0/+25.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

8 threaded hole

Frequency Range:

Between 0.000 megahertz and 200.000 gigahertz

Overall Attenuation Accuracy In Decibels:

-0.25/+0.25

Mounting Thread Quantity:

40 per inch

Adjustment Device Type And Quantity:

1 shaft

Mounting Facility Pattern:

Four position rectangular

Shaft Type:

Round, slotted

Mounting Facility Screw Thread Diameter:

0.112 inches

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0