## NSN 5985-01-245-2749

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-245-2749

Application Design:
Transmission line
Body Material:
Steel, corrosion resisting
Body Style:
Err-090
<b>Body Surface Treatment:</b>
Passivated
Overall Length:
Between 0.840 inches and 0.880 inches
Overall Diameter:
0.400 inches
End Application:
F-15 aircraft
Voltage Standing Wave Ratio:
1.25
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
Sma
Power Rating:
2.0 watts average and 0.2 kilowatts peak
Voltage Standing Wave Ratio Frequency Range:
+8.0/+12.4 gigahertz
Connection Type Per Function:
Female input and male output
Unpackaged Unit Weight:
0.500 ounces
Mounting Method:
Connector
Terminal Type And Quantity:
2 connector
Frequency Range:
Between 8.000 gigahertz and 12.400 gigahertz
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5985-01-245-2749

Fixed Attenuator - Page 2 of 2



Demilitarization:

No

Fiig:

A20000