## NSN 5985-01-249-9581

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-249-9581

Application Design:
Transmission line
Body Material:
Brass, qq-b-613, comp 2, 1/2 hard
Body Style:
Rectangular, terminal/terminals on one surface
Body Surface Treatment:
Nickel plated or tin plated
Overall Length:
1.000 inches
Overall Height:
0.620 inches
Overall Width:
1.000 inches
Body Height:
0.250 inches
Operating Tempurature Range:
-30.0/+85.0 degrees celsius
Voltage Standing Wave Ratio:
1.80
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Voltage Standing Wave Ratio Frequency Range:
+30.0/+88.0 megahertz
Center To Center Distance Between First And Second Terminals:
0.250 inches
Center To Center Distance Between Second And Third Terminals:
0.250 inches
Center To Center Distance Between Third And Fourth Terminals:
0.250 inches
Mounting Method:
Plug-in
Terminal Type And Quantity:
12 pin
Frequency Range:
Between 30.000 megahertz and 88.000 megahertz
Special Features:
Seven pins for ground
Shelf Life:

N/a

## NSN 5985-01-249-9581

Fixed Attenuator - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A20000