## NSN 5985-01-250-1058

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-250-1058 **Application Design:** Transmission line **Body Material:** Steel, stainless **Body Style:** Rectangular, terminal/terminals on opposite surfaces **Body Surface Treatment:** Gold plated **Overall Length:** 1.250 inches **Overall Height:** 0.375 inches **Overall Width:** 0.375 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.35 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 2.0 watts average and 0.5 kilowatts peak **Rf Signal Attenuation In Decibels:** 10.0 **Voltage Standing Wave Ratio Frequency Range:** +10.0/+12.4 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 21.400 gigahertz Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-250-1058

Fixed Attenuator - Page 2 of 2



Fiig:

A20000