NSN 5985-01-250-1238



| Electrical Dummy Load - Page 1 of 1 | |
|---|----|
| View Online at https://aerobasegroup.com/nsn/5985-01-250-12 | 38 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: | |
| 25.0 | |
| Overall Length: | |
| 0.730 inches | |
| Impedance Rating In Ohms: | |
| 50.0 | |
| Overall Diameter: | |
| 0.312 inches | |
| Frequency Range Rating: | |
| +0.000/+18.000 gigahertz | |
| Voltage Standing Wave Ratio: | |
| 1.05 | |
| Coaxial Connector Series Designation: | |
| Sma | |
| Connector End Design: | |
| Female | |
| Power Rating: | |
| 0.500 watts average and 50.000 watts peak | |
| Voltage Standing Wave Ratio Frequency Range: | |
| +0.000/+18.000 gigahertz | |
| Termination Type: | |
| Connection coaxial | |
| Operating Position: | |
| All positions | |
| Rf Connector Changing Feature: | |
| Not included | |
| Cooling Method: | |
| Self-cooled | |
| Precious Material And Location: | |
| Contact surfaces gold | |
| Precious Material: | |
| Gold | |
| Style Designator: | |
| Coaxial mounted | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| Demilitarization: | |
| No | |
| Fiig: | |
| | |

A19800