NSN 5985-01-255-6180

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-255-6180

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b all flanges all connection facilities

Thread Direction:

Right-hand all flanges all connection facilities

End Application:

Missile guidance and tracking set an/spg-55b

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

4

Flange Inside Width:

1.003 inches all flanges

Flange Inside Height:

0.503 inches all flanges

Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

Voltage Standing Wave Ratio:

1.20

Insertion Loss In Decibels:

0.30

Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

Maximum Operating Pressure:

10.0 pounds per square inch gage

Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

Thread Size:

0.164 inches all flanges all connection facilities

Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

Criticality Code Justification:

Supp

Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

NSN 5985-01-255-6180

Waveguide Assembly - Page 2 of 2



Flange Connecting Facility And Quantity:
4 threaded hole all flanges all connection facilities
Flange Style:
Cover type all flanges
Waveguide Length:
4.130 inches
Special Features:
10.250 to 10.450 ghz; isolation 22 db min; operating temperature minus 20 to plus 60 degrees c
Flexibility:
Rigid all tubing segment
Material:
Aluminum alloy all tubing segment and flange
Surface Treatment:
Chromate all tubing segment and flange outside surfaces and paint all tubing segment and flange outside surfaces
Style Designator:
Tee, hybrid type
Supplementary Features:
Magnetic material: keep 4.000 in. Apart, do not store on metal
Thread Series Designator:
Unc all flanges all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A073a0