NSN 5985-01-259-6456

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-259-6456 **Application Design:** Transmission line **Body Material:** Metal **Body Style:** Err-090 **Body Surface Treatment:** Passivated **Overall Length:** 1.240 inches **Overall Diameter:** 0.375 inches **Operating Tempurature Range:** -54.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.35 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 0.5 watts average **Rf Signal Attenuation In Decibels:** 10.0 **Voltage Standing Wave Ratio Frequency Range:** +2.0/+18.0 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Connection Type Per Function:** Male input and female output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 2.000 gigahertz and 18.000 gigahertz Shelf Life:

N/a

Unit Of Measure:

NSN 5985-01-259-6456

Fixed Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A20000