

View Online at <https://aerobasegroup.com/nsn/5985-01-260-1474>

**Body Style:**

Cylindrical

**Overall Length:**

Between 0.129 inches and 0.133 inches

**Frequency Rating:**

2.0 gigahertz single frequency operating and 18.0 gigahertz single frequency operating

**Overall Diameter:**

Between 0.655 inches and 0.739 inches

**Switch Type:**

Nontransfer

**Operating Temperature Range:**

-54.0/+100.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.90 single

**Insertion Loss In Decibels:**

2.30 single

**Connector End Design:**

Male

**Minimum Crosstalk Rating In Decibels:**

35.0 single

**Actuator Operating Method:**

Solid state

**Switch Operation Sequence:**

Makes before breaks

**Switching Time:**

1.5 microseconds

**Switch Return Mechanism Type:**

Fail-safe

**Pole Quantity:**

1

**Throw Quantity:**

2

**Coupling Position Quantity:**

8

**Test Data Document:**

81349-mil-std-202f specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

8 pin

**Specification Data:**

03640-6135114 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A158a0