## NSN 5985-01-264-2907

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-264-2907

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange all connection facilities

**Thread Direction:** 

Right-hand first flange all connection facilities

Bend Angle In Deg:

90.0 single bend e-plane

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.622 inches first flange

Flange Inside Height:

0.311 inches first flange

**Voltage Standing Wave Ratio:** 

1.10

**Maximum Operating Pressure:** 

10.0 pounds per square inch gage

**Waveguide Outside Width:** 

Between 0.699 inches and 0.705 inches

Thread Size:

0.138 inches first flange all connection facilities

Waveguide Inside Width:

Between 0.620 inches and 0.625 inches

**Waveguide Inside Height:** 

Between 0.309 inches and 0.314 inches

**Waveguide Outside Height:** 

Between 0.388 inches and 0.394 inches

**Waveguide Longer Offset Distance:** 

2.702 inches

Flange Connecting Facility And Quantity:

4 threaded hole first flange all connection facilities

Flange Style:

Cover type first flange

**Waveguide Offset Distance:** 

0.850 inches

Flexibility:

Rigid all tubing segment

Material:

Metal all tubing segment and flange

## **NSN 5985-01-264-2907** Waveguide Assembly - Page 2 of 2



Style Designator:
Bend type
Thread Series Designator:
Unc first flange all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0