## NSN 5985-01-264-7410

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-264-7410

View Online at https://aerobasegroup.com/nsn/5985-01-264-7410
Cross Sectional Shape:
Internal, rectangular external, rectangular
Tubing Wall Construction Style:
Corrugated single tubing segment
Flange Quantity:
2
Flange Inside Width:
1.178 inches all flanges and 1.180 inches all flanges
Flange Inside Height:
0.497 inches all flanges
Flange Outside Width:
2.500 inches all flanges
Flange Outside Height:
1.750 inches all flanges
Flange Depth:
0.340 inches all flanges
Voltage Standing Wave Ratio:
1.10
Maximum Operating Pressure:
10.0 pounds per square inch gage
Waveguide Outside Width:
1.101 inches
Waveguide Inside Width:
1.093 inches
Waveguide Inside Height:
0.484 inches
Waveguide Outside Height:
0.492 inches
Flange Connecting Facility And Quantity:
8 unthreaded hole all flanges all connection facilities
Flange Style:
Contact type all flanges
Waveguide Length:
7.000 inches
Flexibility:
Flexible single tubing segment
Material:
Copper alloy all tubing segment and flange
Surface Treatment:
Copper all tubing segment and flange outside surfaces and paint all tubing segment and flange outside surfaces
Style Designator:

Straight type

## NSN 5985-01-264-7410

Waveguide Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0