## NSN 5985-01-267-1347

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-267-1347

Application Design:
Transmission line
Body Material:
Steel
Body Style:
Err-090
Terminal Material:
Steel, stainless
Terminal Surface Treatment:
Passivated
Body Surface Treatment:
Passivated
Overall Length:
Between 1.000 inches and 1.040 inches
Overall Diameter:
0.280 inches
Operating Tempurature Range:
-40.0/+71.0 degrees celsius
Voltage Standing Wave Ratio:
1.35
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
Sma
Rf Signal Attenuation In Decibels:
11.0
Voltage Standing Wave Ratio Frequency Range:
+13.5/+17.0 gigahertz
Attenuation Accuracy In Decibels:
-0.50/+0.50
Connection Type Per Function:
Female input and male output
Unpackaged Unit Weight:
5.33 grams
Mounting Method:
Connector
Terminal Type And Quantity:
2 connector
Frequency Range:
Between 13.500 gigahertz and 17.000 gigahertz

## NSN 5985-01-267-1347

Fixed Attenuator - Page 2 of 2



Fsc App	lication	Data:
---------	----------	-------

Antennas, waveguides, and related equipment

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A20000