NSN 5985-01-267-1349

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-267-1349

Application Design:				
Transmission line				
Body Material:				
Steel				
Body Style:				
1b round, terminal/terminals in opposite surface				
Terminal Material:				
Steel, stainless				
Terminal Surface Treatment:				
Passivated				
Body Surface Treatment:				
Passivated				
Overall Length:				
Between 1.000 inches and 1.040 inches				
Overall Diameter:				
0.280 inches				
Operating Tempurature Range:				
-40.0/+71.0 degrees celsius				
Voltage Standing Wave Ratio:				
1.35				
Input Impedance Rating In Ohms:				
50.0				
Output Impedance Rating In Ohms:				
50.0				
Coaxial Connector Series Designation:				
Sma				
Rf Signal Attenuation In Decibels:				
13.0				
Voltage Standing Wave Ratio Frequency Range:				
+13.5/+17.0 gigahertz				
Attenuation Accuracy In Decibels:				
-0.50/+0.50				
Connection Type Per Function:				
Female input and male output				
Unpackaged Unit Weight:				
5.33 grams				
Mounting Method:				
Connector				
Terminal Type And Quantity:				
2 connector				
Frequency Range:				
Between 13.500 gigahertz and 17.000 gigahertz				

NSN 5985-01-267-1349

Fixed Attenuator - Page 2 of 2



	Fsc	Ap	olication	Data:
--	-----	----	-----------	-------

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000