# NSN 5985-01-292-3383

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-292-3383

# **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### Bend Angle In Deg:

180.0 single bend e-plane

# **Tubing Wall Construction Style:**

Interlocked single tubing segment

#### **Tubing Twist Type:**

Twistable single tubing segment

#### **Tubing Twist Angle In Deg:**

180.0 single tubing segment

# Flange Quantity:

2

#### Flange Inside Width:

1.248 inches all flanges and 1.258 inches all flanges

#### Flange Inside Height:

0.615 inches all flanges and 0.625 inches all flanges

#### Flange Outside Width:

1.860 inches all flanges and 1.890 inches all flanges

# Flange Outside Height:

1.860 inches all flanges and 1.890 inches all flanges

# Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

#### Flange Connecting Hole Diameter:

0.164 inches all flanges all connection facilities and 0.174 inches all flanges all connection facilities

# **Voltage Standing Wave Ratio:**

1.12

# **Waveguide Outside Width:**

3.560 inches

#### **Waveguide Inside Width:**

3.400 inches

# **Waveguide Inside Height:**

1.700 inches

# **Waveguide Outside Height:**

1.860 inches

# Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

# Flange Style:

Cover type all flanges

# Waveguide Length:

2.000 inches

#### Flexibility:

Flexible single tubing segment

# NSN 5985-01-292-3383

Waveguide Assembly - Page 2 of 2



Material:
Rubber chloroprene single tubing jacket
Precious Material And Location:
External and external surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver single tubing segment all surfaces
Style Designator:
Straight type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

**Fiig:** A073a0