

View Online at <https://aerobasegroup.com/nsn/5985-01-295-0201>

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.360 inches first flange and 0.364 inches first flange

Flange Inside Height:

0.220 inches first flange and 0.224 inches first flange

Flange Outside Width:

0.745 inches first flange and 0.755 inches first flange

Flange Outside Height:

0.745 inches first flange and 0.755 inches first flange

Flange Depth:

0.182 inches first flange and 0.192 inches first flange

Flange Connecting Hole Diameter:

0.116 inches first flange all connection facilities and 0.118 inches first flange all connection facilities

Voltage Standing Wave Ratio:

1.10

Insertion Loss In Decibels:

0.20

Maximum Operating Pressure:

30.0 pounds per square inch gage

Flange Connecting Facility And Quantity:

4 unthreaded hole first flange all connection facilities

Flange Style:

Cover type first flange

Waveguide Length:

Between 7.874 inches and 7.875 inches

Flexibility:

Rigid second tubing segment

Precious Material And Location:

Internal and external surfaces silver

Precious Material:

Silver

Style Designator:

Straight type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A073a0