

View Online at <https://aerobasegroup.com/nsn/5985-01-313-3335>

Cross Sectional Shape:

Internal, rectangular external, rectangular

End Application:

Training set, electronic warfare an/mst-t1

Tubing Wall Construction Style:

Corrugated all tubing segment

Tubing Twist Type:

Step twist all tubing segment

Tubing Twist Angle In Deg:

90.0 all tubing segment

Flange Quantity:

2

Flange Inside Width:

2.006 inches all flanges and 2.009 inches all flanges

Flange Inside Height:

1.006 inches all flanges and 1.009 inches all flanges

Flange Outside Diameter:

3.610 inches all flanges and 3.640 inches all flanges

Flange Depth:

0.360 inches all flanges and 0.390 inches all flanges

Flange Connecting Hole Diameter:

0.199 inches all flanges all connection facilities and 0.203 inches all flanges all connection facilities

Maximum Operating Pressure:

20.0 pounds per square inch gage

Waveguide Outside Width:

2.000 inches

Waveguide Inside Width:

1.872 inches

Waveguide Inside Height:

0.872 inches

Waveguide Outside Height:

1.000 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole all flanges all connection facilities

Waveguide First Leg Length:

4.000 inches

Flange Style:

Cover type all flanges

Waveguide Second Leg Length:

4.370 inches

Waveguide Third Leg Length:

3.940 inches

Waveguide Fourth Leg Length:

3.940 inches

Flexibility:

Flexible all tubing segment

Material:

Aluminum alloy all tubing segment and flange

Style Designator:

Three bend type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A073a0