## NSN 5985-01-317-1893

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-317-1893

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

## **Tubing Wall Construction Style:**

Seamless single tubing segment

Flange Quantity:

2

## Flange Inside Width:

0.362 inches all flanges

## Flange Inside Height:

0.222 inches all flanges

### Flange Outside Width:

0.745 inches all flanges and 0.755 inches all flanges

## Flange Outside Height:

0.745 inches all flanges and 0.755 inches all flanges

### Flange Depth:

0.182 inches all flanges and 0.192 inches all flanges

## Flange Connecting Hole Diameter:

0.116 inches all flanges single connection facility

### **Insertion Loss In Decibels:**

0.30

## **Waveguide Outside Width:**

Between 0.358 inches and 0.362 inches

## **Waveguide Inside Width:**

Between 0.2785 inches and 0.2815 inches

## Waveguide Inside Height:

Between 0.1385 inches and 0.1415 inches

## **Waveguide Outside Height:**

Between 0.218 inches and 0.222 inches

### **Waveguide Longer Offset Distance:**

Between 1.740 inches and 1.760 inches

## Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges single connection facility

## Flange Style:

Cover type all flanges

### **Waveguide Offset Distance:**

Between 0.740 inches and 0.760 inches

## **Special Features:**

Frequency range 26.0 to 40.0 ghz

## Flexibility:

Rigid single tubing segment

#### Material:

Copper alloy all tubing segment and flange

# NSN 5985-01-317-1893

Waveguide Assembly - Page 2 of 2



Sty	υe	311	чн	aı	u	•	_

Bend type

**Fsc Application Data:** 

Radar equipment

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A073a0