

View Online at <https://aerobasegroup.com/nsn/5985-01-325-9241>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

2.875 inches

Overall Height:

2.438 inches

Overall Width:

1.875 inches

Shaft Diameter:

0.313 inches

Shaft Length:

0.750 inches

Voltage Standing Wave Ratio:

1.20 and 1.50

Coaxial Connector Series Designation:

Bnc

Power Rating:

1.0 watts average

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.3

Overall Attenuation Range In Decibels:

+0.0/+10.0

Attenuation Variation Method:

Stepped

Step Position Quantity:

10

Attenuation Per Step In Decibels:

1.0

Mounting Facility Type And Quantity:

6 threaded hole

Frequency Range:

Between 0.000 hertz and 2000.000 megahertz

Overall Attenuation Accuracy In Decibels:

-1.00/+1.00

Segment Attenuation Range In Decibels:

+0.00/+1.00 and +1.00/+2.00 and +2.00/+3.00 and +3.00/+4.00 and +4.00/+5.00 and +5.00/+6.00 and +6.00/+7.00 and +7.00/+8.00 and +8.00/+9.00 and +9.00/+10.00

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 shaft

Shaft Type:

Round

Mounting Facility Screw Thread Diameter:

0.138 inches

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A223a0