NSN 5985-01-332-6645

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-332-6645

View Crimino de responsacional de la companyación d
Application Design:
Transmission line
Body Material:
Any acceptable
Body Style:
Rectangular terminal/terminals on three surfaces
Body Surface Treatment:
Any acceptable
Overall Length:
Between 0.137 inches and 0.157 inches
Overall Height:
0.030 inches
Overall Width:
Between 0.113 inches and 0.133 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Voltage Standing Wave Ratio:
1.30
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Power Rating:
2.0 watts average
Rf Signal Attenuation In Decibels:
2.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+1.0 gigahertz
Attenuation Accuracy In Decibels:
-0.50/+0.50
Terminal Type And Quantity:
3 surface contact
Frequency Range:
Between 0.000 hertz and 18.000 gigahertz
Precious Material And Location:
Termination pad surfaces gold and termination pad surfaces platinum
Precious Material:
Gold and platinum
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a

NSN 5985-01-332-6645

Fixed Attenuator - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A20000