# NSN 5985-01-334-1110

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-334-1110

### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b all flanges all connection facilities

**Thread Direction:** 

Right-hand all flanges all connection facilities

**Tubing Wall Construction Style:** 

Seamless third tubing segment

**Tubing Twist Type:** 

Twistable second tubing segment

**Tubing Twist Angle In Deg:** 

90.0 second tubing segment

Flange Quantity:

2

#### Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

#### Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

# Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

# Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

#### Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

# **Voltage Standing Wave Ratio:**

1.35

# **Insertion Loss In Decibels:**

0.15

#### **Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

#### **Thread Size:**

0.164 inches all flanges all connection facilities

### Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

#### **Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

# **Waveguide Outside Height:**

Between 0.496 inches and 0.504 inches

# Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

### Waveguide First Leg Length:

3.240 inches

# **NSN 5985-01-334-1110** Waveguide Assembly - Page 2 of 2



Flange Style:
Choke type all flanges
Waveguide Second Leg Length:
7.970 inches
Waveguide Third Leg Length:
2.180 inches
Waveguide Fourth Leg Length:
1.700 inches
Special Features:
Flanges have resonance suppressor and captured screws included with each flange
Flexibility:
Rigid third tubing segment
Material:
Aluminum alloy all tubing segment and flange
Precious Material And Location:
Internal surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver all tubing segment inside surfaces
Style Designator:
Three bend type
Thread Series Designator:
Unc all flanges all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0