## NSN 5985-01-339-3278

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-339-3278 **Application Design:** Transmission line **Body Style:** Rectangular terminal/terminals on three surfaces **Overall Length:** 0.370 inches **Overall Height:** 0.055 inches **Overall Width:** 0.245 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **End Application:** Radar set an/sps-40b **Voltage Standing Wave Ratio:** 1.30 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Power Rating:** 1.0 watts average and 100.0 watts peak **Rf Signal Attenuation In Decibels:** 5.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+1.0 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Mounting Method:** Printed circuit **Terminal Type And Quantity:** 3 tab, solder lug Frequency Range: Between 0.000 hertz and 1.000 gigahertz **Fsc Application Data:** Antennas, waveguide and related equipment Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5985-01-339-3278

Fixed Attenuator - Page 2 of 2



Fiig:

A20000