NSN 5985-01-347-9344

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-347-9344

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
6.250 inches
Overall Height:
1.813 inches
Overall Width:
1.250 inches
Voltage Standing Wave Ratio:
1.10 and 1.30
Coaxial Connector Series Designation:
Bnc
Power Rating:
3.0 watts average and 800.0 watts peak
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.5
Overall Attenuation Range In Decibels:
+0.0/+102.5
Attenuation Variation Method:
Stepped
Step Position Quantity:
8
Attenuation Per Step In Decibels:
0.5 and 1.0 and 2.0 and 3.0 and 6.0 and 10.0 and 20.0 and 30.0
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 0.000 megahertz and 1000.000 megahertz
Adjustment Device Type And Quantity:
1 electronic, current controlled
Impedance Rating In Ohms:
75.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female and 9 solder stud
Fsc Application Data:
Antennas, waveguides, and related equip.
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5985-01-347-9344

Variable Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A223a0