NSN 5985-01-351-4436

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-351-4436

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

6.610 inches

Overall Height:

1.690 inches

Overall Width:

3.130 inches

End Application:

Afscn/cue

Voltage Standing Wave Ratio:

1.50

Coaxial Connector Series Designation:

Sma

Power Rating:

1.0 watts average and 100.0 kilowatts peak

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.2

Overall Attenuation Range In Decibels:

+0.0/+11.0

Attenuation Variation Method:

Stepped

Step Position Quantity:

12

Attenuation Per Step In Decibels:

1.0

Frequency Range:

Between 0.000 hertz and 4.000 gigahertz

Adjustment Device Type And Quantity:

1 electronic, programmable

Impedance Rating In Ohms:

50.0 input-output

Special Features:

Broadband dc to 18 ghz; life = 6 million cycles/section; high accuracy, typically +/-2% to 18 ghz

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

NSN 5985-01-351-4436

Variable Attenuator - Page 2 of 2

Demilitarization:

No

Fiig:

A223a0

