## NSN 5985-01-357-5588

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-357-5588 **Application Design:** Transmission line **Body Material:** Aluminum alloy **Body Style:** Err-090 **Body Surface Treatment:** Chromate **Overall Length:** 0.860 inches **Overall Diameter:** 0.280 inches **Operating Tempurature Range:** -54.0/+90.0 degrees celsius **End Application:** Countermeasures set an/alr-62 **Voltage Standing Wave Ratio:** 1.10 and 1.15 and 1.20 and 1.25 and 1.35 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Rf Signal Attenuation In Decibels:** 0.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+2.0 gigahertz and +2.0/+4.0 gigahertz and +4.0/+8.0 gigahertz and +8.0/+12.4 gigahertz and +12.4/+18.0 gigahertz **Attenuation Accuracy In Decibels:** -0.00/+0.30 **Connection Type Per Function:** Female input and male output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 18.000 gigahertz Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5985-01-357-5588

Fixed Attenuator - Page 2 of 2



Demilitarization:

No

Fiig:

A20000