

View Online at <https://aerobasegroup.com/nsn/5985-01-357-8907>

**Application Design:**

Transmission line

**Body Material:**

Aluminum

**Body Style:**

Rectangular, terminal/terminals on opposite surfaces

**Body Surface Treatment:**

Enamel, baked

**Overall Length:**

Between 16.820 inches and 16.940 inches

**Overall Height:**

Between 8.820 inches and 8.940 inches

**Overall Width:**

Between 5.940 inches and 6.060 inches

**Operating Temperature Range:**

-40.0/+52.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.15

**Input Impedance Rating In Ohms:**

50.0

**Output Impedance Rating In Ohms:**

50.0

**Coaxial Connector Series Designation:**

N

**Power Rating:**

500.0 watts average and 1.0 kilowatts peak

**Rf Signal Attenuation In Decibels:**

30.0

**Voltage Standing Wave Ratio Frequency Range:**

+0.0/+500.0 megahertz

**Attenuation Accuracy In Decibels:**

-0.20/+0.20

**Connection Type Per Function:**

Male input and female output

**Mounting Method:**

Connector

**Terminal Type And Quantity:**

2 connector

**Frequency Range:**

Between 0.000 hertz and 500.000 megahertz

**Test Data Document:**

81349-mil-a-3933 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349-mil-a-3933/21 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A20000