## NSN 5985-01-358-8569

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-358-8569 **Body Material:** Steel **Body Style:** Err-090 **Body Surface Treatment: Passivated Overall Length:** 0.750 inches **Overall Diameter:** 0.312 inches **Operating Tempurature Range:** -55.0/+150.0 degrees celsius **End Application:** Countermeasures set an/alr-56 **Voltage Standing Wave Ratio:** 1.15 and 1.25 and 1.50 and 2.00 **Coaxial Connector Series Designation:** Sma **Power Rating:** 1.0 watts average Rf Signal Attenuation In Decibels: 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+4.0 gigahertz and +4.0/+8.0 gigahertz and +8.0/+12.0 gigahertz and +12.0/+18.0 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 18.000 gigahertz **Precious Material And Location:** Contact surface gold **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5985-01-358-8569

Fixed Attenuator - Page 2 of 2



Fiig:

A20000