NSN 5985-01-361-7384

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-361-7384 **Application Design:** Transmission line **Body Material:** Aluminum alloy **Body Style:** Err-090 **Body Surface Treatment:** Chromium plated **Overall Length:** 0.860 inches **Overall Diameter:** 0.280 inches **Operating Tempurature Range:** -54.0/+90.0 degrees celsius **Voltage Standing Wave Ratio:** 1.10 and 1.15 and 1.20 and 1.25 and 1.35 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 500.0 milliwatts average **Rf Signal Attenuation In Decibels:** 8.5 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+2.0 gigahertz and +2.0/+4.0 gigahertz and +4.0/+8.0 gigahertz and +8.0/+12.4 gigahertz and +12.4/+18.0 gigahertz **Attenuation Accuracy In Decibels:** -0.40/+0.40 **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 18.000 gigahertz **Specification Data:** 15786-308928 manufacturers source control Shelf Life:

N/a

Unit Of Measure:

NSN 5985-01-361-7384

Fixed Attenuator - Page 2 of 2



Demilitarization:

No

Fiig:

A20000