NSN 5985-01-361-7718

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-361-7718

| Application Design: |
|---|
| Audio |
| Body Material: |
| Plastic |
| Body Style: |
| Rectangular, terminal/terminals on one surface |
| Overall Length: |
| 0.350 inches |
| Overall Height: |
| 0.505 inches |
| Overall Width: |
| 0.090 inches |
| Body Height: |
| Between 0.200 inches and 0.350 inches |
| Schematic Diagram Designator: |
| "c" |
| Operating Tempurature Range: |
| -55.0/+85.0 degrees celsius |
| End Application: |
| 5895-01-180-1415 control computer |
| Input Impedance Rating In Ohms: |
| 50.0 |
| Output Impedance Rating In Ohms: |
| 50.0 |
| Power Rating: |
| 0.125 watts average |
| Rf Signal Attenuation In Decibels: |
| 12.0 |
| Center To Center Distance Between First And Second Terminals: |
| Between 0.120 inches and 0.130 inches |
| Center To Center Distance Between Second And Third Terminals: |
| Between 0.120 inches and 0.130 inches |
| Center To Center Distance Between Third And Fourth Terminals: |
| Between 0.120 inches and 0.130 inches |
| Connection Type Per Function: |
| Female input and male output |
| Mounting Method: |
| Printed circuit |
| Terminal Type And Quantity: |
| 2 pin |
| |
| Fsc Application Data: |

NSN 5985-01-361-7718

Fixed Attenuator - Page 2 of 2



| | Life: |
|--|-------|
| | |
| | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000