

View Online at <https://aerobasegroup.com/nsn/5985-01-362-8354>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**End Application:**

Radar set an/spg-51

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Voltage Standing Wave Ratio:**

1.10

**Insertion Loss In Decibels:**

0.07

**Maximum Operating Pressure:**

10.0 pounds per square inch gage

**Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

**Waveguide Inside Width:**

Between 0.896 inches and 0.904 inches

**Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

**Waveguide Outside Height:**

Between 0.496 inches and 0.504 inches

**Waveguide First Leg Length:**

1.630 inches

**Waveguide Second Leg Length:**

9.250 inches

**Waveguide Third Leg Length:**

15.180 inches

**Waveguide Fourth Leg Length:**

9.500 inches

**Flexibility:**

Rigid single tubing segment

**Material:**

Aluminum alloy all tubing segment and flange

**Surface Treatment:**

Enamel all tubing segment and flange outside surfaces

**Style Designator:**

Three bend type

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A073a0