# NSN 5985-01-368-1191

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-368-1191

## Cross Sectional Shape:

Internal, rectangular external, rectangular

#### **Thread Class:**

2b all flanges all connection facilities

## **Thread Direction:**

Right-hand all flanges all connection facilities

## **Tubing Wall Construction Style:**

Seamless all tubing segment

# Flange Quantity:

2

#### Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

#### Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

#### Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

## Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

## Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

# Maximum Operating Pressure:

15.0 pounds per square inch gage

#### Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

## Thread Size:

0.164 inches all flanges all connection facilities

# Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

# Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

# Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

# Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

# Waveguide First Leg Length:

0.880 inches

# Waveguide Fifth Leg Length:

1.620 inches

#### Flange Style:

Choke type all flanges

# Waveguide Second Leg Length:

1.125 inches

# NSN 5985-01-368-1191

Waveguide Assembly - Page 2 of 2

---



Waveguide Third Leg Length: 1.170 inches Waveguide Fourth Leg Length: 2.630 inches Flexibility: Rigid all tubing segment Material: Aluminum alloy all tubing segment and flange Surface Treatment: Chromate all tubing segment and flange outside surfaces and paint all tubing segment and flange outside surfaces Style Designator: Four bend type **Thread Series Designator:** Unc all flanges all connection facilities Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A073a0