

View Online at <https://aerobasegroup.com/nsn/5985-01-368-2602>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:**

2b first flange all connection facilities

**Thread Direction:**

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:**

Corrugated single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

0.896 inches first flange and 0.904 inches first flange 0.896 inches second flange and 0.904 inches second flange

**Flange Inside Height:**

0.396 inches first flange and 0.404 inches first flange 0.396 inches second flange and 0.404 inches second flange

**Flange Outside Width:**

1.610 inches first flange and 1.640 inches first flange 1.610 inches second flange and 1.640 inches second flange

**Flange Outside Height:**

1.610 inches first flange and 1.640 inches first flange 1.610 inches second flange and 1.640 inches second flange

**Flange Depth:**

0.423 inches first flange and 0.453 inches first flange 0.610 inches second flange and 0.640 inches second flange

**Flange Connecting Hole Diameter:**

0.169 inches second flange all connection facilities and 0.172 inches second flange all connection facilities

**Voltage Standing Wave Ratio:**

1.10

**Maximum Operating Pressure:**

45.0 pounds per square inch gage

**Waveguide Outside Width:**

1.000 inches

**Thread Size:**

0.164 inches first flange all connection facilities

**Waveguide Inside Width:**

0.900 inches

**Waveguide Inside Height:**

0.400 inches

**Waveguide Outside Height:**

0.500 inches

**Waveguide Longer Offset Distance:**

4.420 inches

**Flange Connecting Facility And Quantity:**

4 threaded hole first flange all connection facilities 4 unthreaded hole second flange all connection facilities

**Flange Style:**

Choke type all flanges

**Waveguide Offset Distance:**

3.250 inches

**Flexibility:**

Flexible single tubing segment

**Material:**

Beryllium single tubing segmentaluminum alloy all flange

**Style Designator:**

Bend type

**Thread Series Designator:**

Unc first flange all connection facilities

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A073a0