

View Online at <https://aerobasegroup.com/nsn/5985-01-368-3785>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:**

2b first flange all connection facilities

**Thread Direction:**

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

1.118 inches first flange and 1.126 inches first flange

**Flange Inside Height:**

0.493 inches first flange and 0.501 inches first flange

**Flange Outside Width:**

1.860 inches first flange and 1.890 inches first flange

**Flange Outside Height:**

1.860 inches first flange and 1.890 inches first flange

**Flange Depth:**

0.610 inches first flange and 0.640 inches first flange

**Maximum Operating Pressure:**

15.0 pounds per square inch gage

**Waveguide Outside Width:**

Between 1.246 inches and 1.254 inches

**Thread Size:**

0.164 inches first flange all connection facilities

**Waveguide Inside Width:**

Between 1.118 inches and 1.126 inches

**Waveguide Inside Height:**

Between 0.493 inches and 0.501 inches

**Waveguide Outside Height:**

Between 0.621 inches and 0.629 inches

**Flange Connecting Facility And Quantity:**

4 threaded hole first flange all connection facilities

**Flange Style:**

Choke type first flange

**Waveguide Length:**

Between 1.453 inches and 1.473 inches

**Flexibility:**

Rigid single tubing segment

**Material:**

Aluminum alloy all tubing segment and flange

**Surface Treatment:**

Chromate all tubing segment and flange outside surfaces and paint all tubing segment and flange outside surfaces

**Style Designator:**

Straight type

**Thread Series Designator:**

Unc first flange all connection facilities

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A073a0