NSN 5985-01-369-2401

Waveguide Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-369-2401
Body Style:
Rectangular
Overall Length:
5.250 inches
Overall Height:
2.250 inches
Overall Width:
2.750 inches
Frequency Rating:
8.9 gigahertz single frequency operating and 9.4 gigahertz single frequency operating8.9 gigahertz single frequency of power handling and
9.4 gigahertz single frequency rf power handling8.9 gigahertz single frequency voltage standing wave ratio and 9.4 gigahertz single
frequency voltage standing wave ratio8.9 gigahertz single frequency insertion loss reference and 9.4 gigahertz single frequency insertion
loss reference8.9 gigahertz single frequency crosstalk reference and 9.4 gigahertz single frequency crosstalk reference
Unthreaded Mounting Hole Diameter:
Between 0.169 inches and 0.172 inches
Switch Type:
Nontransfer
Longest Horizontal Distance Between Mounting Centers:
1.750 inches single mounting facility pattern
Longest Vertical Distance Between Mounting Centers:
1.750 inches single mounting facility pattern
Operating Tempurature Range:
-20.0/+70.0 degrees celsius
Voltage Standing Wave Ratio:
1.10 single
Insertion Loss In Decibels:
0.10 single
Rf Power Handling Capability:
2.0 kilowatts average 1st200.0 kilowatts peak 2nd
Minimum Crosstalk Rating In Decibels:
90.0 single
Actuator Operating Method:
Relay
Actuator Current Type And Rating In Amps:
1.0 dc
Actuator Voltage In Volts:
25.0
Switching Time:
90.0 milliseconds
Switch Return Mechanism Type:
Fail-safe

Cover

Pole Quantity:

Waveguide Flange Type:

NSN 5985-01-369-2401

Waveguide Switch - Page 2 of 2



Throw Quantity:
2
Coupling Position Quantity:
4
Mounting Facility Type And Quantity:
4 unthreaded hole
Mounting Facility Pattern:
Four position rectangular single mounting facility pattern
Flange Connecting Facility And Quantity:
4 unthreaded hole
Material:
Aluminum alloy bodyaluminum alloy flang (s)
Unpackaged Unit Weight:
3.000 pounds
Surface Treatment:
Paint body outside surfacespaint flang (s) outside surfaces
Terminal Type And Quantity:
1 connector, receptacle
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig:
A158a0