NSN 5985-01-374-4596

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-374-4596

Cross Sectional Shape:

Internal, rectangular double ridged external, rectangular

Thread Class:

2b all flanges all connection facilities

Thread Direction:

Right-hand all flanges all connection facilities

Bend Angle In Deg:

90.0 first bend e-plane46.0 second bend e-plane87.0 third bend h-plane84.0 fourth bend h-plane

End Application:

F-14acft

Tubing Twist Type:

Twistable all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.798 inches all flanges

Flange Inside Height:

0.428 inches all flanges

Flange Outside Width:

1.375 inches all flanges

Flange Outside Height:

1.375 inches all flanges

Flange Depth:

0.250 inches all flanges

Flange Connecting Hole Diameter:

0.125 inches all flanges all connection facilities

Insertion Loss In Decibels:

0.35

Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

Waveguide Outside Width:

0.905 inches

Thread Size:

0.138 inches all flanges all connection facilities

Waveguide Inside Width:

0.691 inches

Waveguide Inside Height:

0.321 inches

Waveguide Outside Height:

0.428 inches

Flange Connecting Facility And Quantity:

4 captive screws all flanges all connection facilities

NSN 5985-01-374-4596 Waveguide Assembly - Page 2 of 2



Flange Style:
Contact, double ridge type all flanges
Waveguide Length:
14.820 inches
Waveguide Center To Center Distance:
12.180 inches
Flexibility:
Rigid first tubing segmentflexible second tubing segment
Material:
Aluminum alloy all tubing segment and flange
Style Designator:
Offset bend type
Thread Series Designator:
Unc all flanges all connection facilities
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A073a0