

View Online at <https://aerobasegroup.com/nsn/5985-01-377-8645>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

2.870 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.436 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.768 inches

Overall Height:

1.000 inches

Overall Width:

0.940 inches

Unthreaded Mounting Hole Diameter:

0.156 inches

Operating Temperature Range:

-18.0/+45.0 degrees celsius

Voltage Standing Wave Ratio:

1.30

Coaxial Connector Series Designation:

Sma

Power Rating:

0.5 watts average

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

Overall Attenuation Range In Decibels:

+0.0/+7.0

Attenuation Accuracy Reference Frequency:

20.0 megahertz

Attenuation Variation Method:

Stepped

Step Position Quantity:

3

Attenuation Per Step In Decibels:

1.0 and 2.0 and 4.0

Mounting Facility Type And Quantity:

4 unthreaded hole

Frequency Range:

Between 0.000 hertz and 20.000 megahertz

Overall Attenuation Accuracy In Decibels:

-0.25/+0.25

Adjustment Device Type And Quantity:

1 electronic, programmable

Mounting Facility Pattern:

Four position rectangular

Special Features:

6 msec switching speed

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A223a0